





System Model	ES-3-150	
System Performance	Metric	British
Rated Random/Sine Force	3 kN	660 lbf
Rated Shock Force	6 kN	1320 lbf
Usable Frequency	5-4000 Hz	5-4000 Hz
Maximum Velocity	2 m/s	78.7 in/s
Maximum Acceleration	1000 m/s ²	100 g
Maximum Payload	120 kg	264 lbs
Resonance Frequency	2900±5% Hz	2900±5% Hz
Maximum Displacement p-p	25 mm	in
Shaker Model	ET-3	
Mass of Moving Elements	3 kg	6.6 lbs
Armature Diameter	150 mm	5.9 in
Weight	About 480 kg	About 1058 lbs
Body Suspension Natural Frequency	3 Hz	3 Hz
Dimension L×W×H	764×530×698 mm	30×20.9×24.5 in
Power Amplifier Model	DA-3	
Power	3 kVA	3 kVA
Weight	About 200 kg	About 441 lbs
Power Supply Requirement	6.5 kVA	6.5 kVA
Dimension L×W×H	545×720×1295 mm	21.5×28.3×51 in
Cooling Type	Air Cooling	
Blower Model	B-200	
Power	0.75 kW	1 hp
Air Flow	0.1 m ³ /s	100 l/s
Air Pressure	1 kPa	0.145 psi
Weight	30 kg	66 lbs



Shaker ET-3-150



Power Amplifier DA-3



Blower B-200